
	L#	Hits	Search Text	DBs	Time Stamp
1	L2	69	(minimiz\$3 or reduc\$3 or eliminat\$3) near2 harmonic near2 interference	USPAT; EPO; JPO; DERWENT	2002/09/19 17:05
2	L3	21	2 and counter	USPAT; EPO; JPO; DERWENT	2002/09/19 17:11
3	L4	48	2 not 3	USPAT; EPO; JPO; DERWENT	2002/09/19 17:11
4	L5	1	4 and count\$3	USPAT; EPO; JPO; DERWENT	2002/09/19 17:13
5	L6	403 6	(clock or oscillator) and counter and ((controller or control\$3) same duty adj cycle)	USPAT; EPO; JPO; DERWENT	2002/09/19 17:14
6	L7	367	6 and harmonic	USPAT; EPO; JPO; DERWENT	2002/09/19 17:15
7	L8	0	7 and (asymetric\$3 or non adj asymetric\$3 or nonasymetric\$3) adj duty	USPAT; EPO; JPO; DERWENT	2002/09/19 17:16
8	L9	35	7 and 327/\$.ccls.	USPAT; EPO; JPO; DERWENT	2002/09/19 17:35
9	L10	143	7 not "35"	USPAT; EPO; JPO; DERWENT	2002/09/19 17:35
10	L11	224	7 not 10	USPAT; EPO; JPO; DERWENT	2002/09/19 17:36
11	L12	1	11 and (asymmetric\$2 or non adj symmetri\$2 or non-asymmetri\$2) adj duty	USPAT; EPO; JPO; DERWENT	2002/09/19 17:39
12	L13	223	11 not 12	USPAT; EPO; JPO; DERWENT	2002/09/19 17:50
13	L14	35	(327/\$.ccls. or 331/\$.ccls.) and (oscillator or clock) and counter and (low adj frequency same duty adj cycle)	USPAT; EPO; JPO; DERWENT	2002/09/19 17:52

<u>5</u>



ABSTRACT

Systems and methods are disclosed for minimizing nth-order harmonic associated with a square wave clock signal having a predetermined frequency and a duty cycle. The system changes the duty cycle of the clock to eliminate or suppress the nth-order harmonic of the clock; and generates a low-interference clock having the changed duty cycle while keeping the predetermined frequency.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:				
☐ BLACK BORDERS				
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES				
☐ FADED TEXT OR DRAWING				
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING				
☐ SKEWED/SLANTED IMAGES				
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS				
GRAY SCALE DOCUMENTS				
☐ LINES OR MARKS ON ORIGINAL DOCUMENT				
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY				

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.